

GENERAL INSTRUCTIONS

Pestigas is self-propelled requiring no auxiliary power. Operation through the spray nozzle emits a fine mist which permeates the air with minute-sized particles toxic to insects.

A warning notice is to be placed on all door entries to treated areas. The notice indicates

- Pestigas will be sprayed on.
- Day(s) of the week at:
- Time of the day.
- Entry must not take place within two (2) hours of treatment.
- Emergency contact address and telephone number.

PROTECTION OF OTHERS

DO NOT point applicator towards any person. Compressed gas. Avoid contact with high pressure spray.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT.

DO NOT contaminate dams, rivers, streams, waterways or drains with the chemical or used container.

INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
-------	----	-------------

For insecticide resistance management Pestigas is a group 3A insecticide. Some naturally occurring insect biotypes resistant to Pestigas and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Pestigas or other Group 3A insecticides are used repeatedly. The effectiveness of Pestigas on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use BOC LIMITED accepts no liability for any losses that may result from the failure of Pestigas to control resistant insects.

Pestigas may be subject to specific resistance management strategies. For further information contact your local supplier, BOC LIMITED representative or local agricultural department agronomist.

The stripe symbol is a trademark of The BOC Group. The letters Pestigas and the Pestigas logo are trademarks of BOC Limited, a member of The BOC Group.

STORAGE AND DISPOSAL

Store Pestigas cylinders in a cool, well ventilated, locked area out of reach of children or unauthorised persons. Empty contents fully. Close all valves and return to point of supply for refill or storage.

Cylinder always remains the property of BOC and must be returned for refilling.

SAFETY DIRECTIONS

Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing.

Avoid contact with the skin and eyes.

Do not inhale spray mist.

Wash hands after use.

FIRST AID

If in eyes: hold eyes open, flood with water for at least 15 minutes and see a doctor. If sprayed on skin, wash thoroughly. If sprayed in mouth, rinse mouth with water.

Additional information is given in the PESTIGAS Material Safety Data Sheet available from www.boc.com.au.

If poisoning occurs, contact a doctor or Poisons Information Centre.


Phone Australia 131 126.
New Zealand 03 4749000

Patent Number 494198

WDT239 3/07



KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE USE



Pestigas[®]

PYRETHRINS INSECTICIDE

**ACTIVE CONSTITUENTS: 4g/kg PYRETHRINS
20g/kg PIPERONYL BUTOXIDE**

A compressed gas formulation for the control of flying insects (eg. flies, moths, mosquitoes) and crawling insects (eg. cockroaches, beetles, ants, silverfish) in industrial, commercial, rural and domestic premises.

NET CONTENT: 6Kg

BOC

BOC Limited A.B.N. 95 000 029 729
10 Julius Avenue, North Ryde NSW 2113
Ph: 1300 363 109



WDT 239 03/07

APVMA Approval No 32661/6/0307

WDT239 3/07

DIRECTIONS FOR USE (ALL STATES)

RESTRAINTS

DO only apply Pestgas with BOC approved equipment.
For manual spray use kit 736635 and nozzle 736685.

For fixed spray installations refer to BOC for approved pest control systems using programmed time release or manual release

DO NOT allow contact with food. Ensure all items of food are properly stored, removed or covered before treatment is commenced. Food processing facilities and equipment must be thoroughly washed with an effective cleaning compound and rinsed with potable water after spraying is completed.

DO NOT re-enter treated areas within two (2) hours of completing treatment.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Food storage and processing areas of warehouses, animal houses, factories, restaurants, hotels, hospitals and domestic premises.	Flying insects (eg. flies, moths, mosquitos)	50g/300m ³ (17sec/300m ³ using BOC Gases Kit and 736685 nozzle)	Spray into air space not onto any surface.
		3g/300m ³ Every 30 minutes.	Suitable only as a repellent.
	Crawling insects (eg. Cockroaches, beetles, ants, silverfish)	150g/300m ³ (50sec/300m ³ using BOC Gases kit and 736685 nozzle)	Spray into air space. Using extended nozzle treat cracks and crevices with small amounts.